



Commercial Kitchen Equipment Supplier



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat

Product Catalogue

About Acutus

Acutus Kitchen Equipment manufactures commercial kitchen equipment for restaurants, hotels, cafés, cloud kitchens and institutional kitchens across Gujarat — built in-house with 304-grade stainless steel on every contact surface, backed by dedicated after-sales service support.

10+

YEARS EXPERIENCE

304

GRADE STAINLESS STEEL

100%

IN-HOUSE MANUFACTURING

Dedicated

AFTER-SALES SERVICE SUPPORT

Inside This Catalogue

Cooking Equipment — Pizza, Fryer, Griller, Toaster, Warmers	Sec. 01	Bakery Equipment — Baking Oven, Rotary Oven, Mixers	Sec. 02
Beverage Equipment — Coffee, Juice, Blender, Slush, Softy	Sec. 03	Snack Equipment — Waffle Machine, Popcorn Machine	Sec. 04



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat

Pizza Oven

**Electric Single Pizza Oven**

DESCRIPTION

- Compact single-chamber design
- Uniform heat distribution for consistent crust
- Stainless steel construction throughout



Machine Size	650 × 570 × 280 mm
Stone Size	400 × 400 mm
Power	2 kW
Heating	Top & bottom elements
Controls	Thermostat + timer
Body	Stainless steel

**Electric Pizza Oven – 1 Deck 1 Tray**

DESCRIPTION

- Single deck, single tray layout
- Adjustable thermostat control
- Suitable for bakeries, cafés and restaurants



Machine Size	945 × 605 × 485 mm
Stone Size	638 × 430 mm
Power	3.2 kW
Configuration	1 Deck · 1 Tray
Controls	Independent top & bottom
Body	Stainless steel

**Electric Double Deck Pizza Oven**

DESCRIPTION

- Compact double-chamber design
- Independent temperature control per chamber
- Ideal for higher-volume pizza service



Machine Size	650 × 570 × 440 mm
Stone Size	400 × 400 mm
Power	3 kW
Decks	2 independent chambers
Controls	Thermostat per deck
Body	Stainless steel

**Electric Pizza Oven – 2 Deck 2 Tray**

DESCRIPTION

- Two decks, two trays for parallel baking
- Even heat distribution across both chambers
- Heavy-duty stainless steel body



Machine Size	945 × 605 × 810 mm
Stone Size	483 × 635 mm
Power	6.4 kW
Configuration	2 Deck · 2 Tray
Controls	Independent per deck
Body	Stainless steel

Deep Fryer



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



6 Liter Electric Deep Fryer

DESCRIPTION

- Stainless steel tank and body
- Adjustable thermostat control
- Fast recovery heating elements

Machine Size **290 × 460 × 310 mm**

Oil Capacity **5.5 Litre**

Power **2.5 kW**

Temperature **Adjustable thermostat**

Heating **Fast recovery elements**

Body **Stainless steel**



8 Liter Electric Deep Fryer

DESCRIPTION

- Stainless steel tank and body
- Adjustable thermostat control
- Fast recovery heating elements

Machine Size **265 × 410 × 345 mm**

Oil Capacity **8 Litre**

Power **3.5 kW**

Temperature **Adjustable thermostat**

Heating **Fast recovery elements**

Body **Stainless steel**



10 Liter Electric Deep Fryer

DESCRIPTION

- Stainless steel tank and body
- Adjustable thermostat control
- Fast recovery heating elements

Machine Size **290 × 470 × 350 mm**


Oil Capacity **10 Litre**

Power **3 kW**

Temperature **Adjustable thermostat**

Heating **Fast recovery elements**

Body **Stainless steel**



13 Liter Electric Deep Fryer

DESCRIPTION

- Stainless steel tank and body
- Adjustable thermostat control
- Fast recovery heating elements

Machine Size **350 × 500 × 410 mm**

Oil Capacity **13 Litre**

Power **5 kW**

Temperature **Adjustable thermostat**

Heating **Fast recovery elements**

Body **Stainless steel**



6+6 Liter Double Tank Deep Fryer

DESCRIPTION

- Independent left/right tank control
- Stainless steel construction
- Separate thermostat per tank

Machine Size **580 × 460 × 310 mm**

Oil Capacity **5.5 + 5.5 Litre**

Power **2.5 + 2.5 kW**

Tanks **2, independently controlled**

Temperature **Separate thermostat per tank**

Body **Heavy-duty stainless steel**



8+8 Liter Double Tank Deep Fryer

DESCRIPTION

- Independent left/right tank control
- Stainless steel construction
- Separate thermostat per tank

Machine Size **480 × 410 × 345 mm**

Oil Capacity **8 + 8 Litre**

Power **3.25 + 3.25 kW**

Tanks **2, independently controlled**

Temperature **Separate thermostat per tank**

Body **Heavy-duty stainless steel**



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



28 Liter Standing Deep Fryer

DESCRIPTION

- Floor-standing heavy-duty frame
- Higher-volume continuous frying
- Stainless steel tank and body



Machine Size	420 × 830 × 1110 mm
Oil Capacity	28 Litre
Power	10 kW
Temperature	Adjustable thermostat
Body	Stainless steel
Design	Floor-standing with cabinet base

Sandwich Griller



Single Plate Contact Grill

DESCRIPTION

- Non-stick coated cooking plates
- Even heat distribution
- Compact countertop design



Machine Size	425 × 370 × 190 mm
Power	2.2 kW
Grill Plates	Non-stick, ribbed
Temperature	Adjustable thermostat
Body	Stainless steel
Heating	Fast & uniform



Double Plate Contact Grill

DESCRIPTION

- Two grilling stations for higher throughput
- Non-stick coated plates
- Even heat distribution



Machine Size	656 × 370 × 190 mm
Power	2.2 kW × 2 (4.4 kW total)
Plates	2 independent grill plates
Temperature	Separate thermostat per plate
Body	Stainless steel
Heating	Fast & uniform

Bun Toaster



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Commercial 4 Slice Toaster

DESCRIPTION

- Consistent toasting across every slice
- Stainless steel body
- Easy-clean crumb tray



Machine Size	370 × 210 × 225 mm
Power	1.28 kW
Slots	4 slice
Timer	Adjustable dial
Body	Stainless steel
Heating	Fast & uniform



Commercial 6 Slice Toaster

DESCRIPTION

- Consistent toasting across every slice
- Stainless steel body
- 5-speed adjustable dial



Machine Size	460 × 210 × 225 mm
Power	3.3 kW
Slots	6 slice
Timer	5-speed adjustable dial
Body	Stainless steel
Heating	Fast & even

Stainless steel
Can cook and bake delicious bread



TT-150 Conveyor Toaster

DESCRIPTION

- Continuous conveyor-belt toasting
- Adjustable belt speed control
- Stainless steel construction



Machine Size	290 × 420 × 390 mm
Power	1.32 kW
Model	TT-150
Control	Adjustable colour control
Body	Stainless steel
Feed	Continuous conveyor

COMMERCIAL CHAIN CONVEYOR TOASTER
High Efficiency • Even Toasting • Built to Last



TT-300 Conveyor Toaster

DESCRIPTION

- Continuous conveyor-belt toasting
- Adjustable belt speed control
- Higher-capacity chamber



Machine Size	370 × 420 × 390 mm
Power	1.92 kW
Model	TT-300
Control	Adjustable colour control
Body	Stainless steel
Feed	Continuous conveyor



Vertical Bun Toaster

DESCRIPTION

- Space-saving vertical loading design
- Consistent toasting
- Stainless steel body



Machine Size	425 × 295 × 615 mm
Power	2 kW
Design	Vertical toasting
Control	Adjustable thermostat
Body	Stainless steel
Heating	Fast & uniform

Food Warmer



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Deluxe Food Warmer

DESCRIPTION

- Maintains consistent holding temperature
- Stainless steel construction
- Easy-clean interior

Machine Size	660 × 480 × 630 mm
Power	800 W
Model	TFE-2P
Control	Adjustable thermostat
Body	Stainless steel
Heating	Uniform, curved-glass display



Premium Food Warmer

DESCRIPTION

- Curved glass display panel
- Maintains consistent holding temperature
- Digital temperature display

Machine Size	600 × 480 × 610 mm
Power	1.5 kW
Model	PFW660
Control	Digital temperature display
Body	Premium stainless steel
Heating	Efficient heat distribution



Chocolate Warmer




Chocolate Warmer 2 Pot

DESCRIPTION

- Maintains chocolate at ideal serving temperature
- Stainless steel pots
- Water-bath style heating

Machine Size	205 × 400 × 225 mm
Power	1 kW
GN Pans	2
Control	Adjustable thermostat
Body	Stainless steel
Heating	Uniform, water-bath style



Chocolate Warmer 3 Pot

DESCRIPTION

- Maintains chocolate at ideal serving temperature
- Stainless steel pots
- Water-bath style heating

Machine Size	205 × 560 × 225 mm
Power	1.5 kW
GN Pans	3
Control	Adjustable thermostat
Body	Stainless steel
Heating	Uniform, water-bath style



Chocolate Fountain 3 Tier

DESCRIPTION

- Smooth continuous chocolate flow
- Tiered cascade design
- Compact motor base

Base Diameter × Height	240 × 560 mm
Power	170 W
Tiers	3
Flow	Continuous chocolate flow
Body	Stainless steel
Control	Motor & heat knobs



Chocolate Fountain 5 Tier

DESCRIPTION

- Smooth continuous chocolate flow
- Tall 5-tier cascade design
- Compact motor base

Base Diameter × Height	330 × 600 mm
Power	230 W
Tiers	5
Flow	Continuous chocolate flow
Body	Stainless steel
Control	Motor & heat knobs



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat

Baking Oven — Electric

EBO-11 Electric Oven 1 Deck 1 Tray

DESCRIPTION

- Stainless steel construction
- Adjustable thermostat control
- Uniform heat distribution

Machine Size **945 × 605 × 485 mm**Chamber Size **638 × 430 mm**Power **3.2 kW**Configuration **1 Deck · 1 Tray**Body **Stainless steel**Heating **Uniform heat distribution****EBO-12 Electric Oven 1 Deck 2 Tray**

DESCRIPTION

- Stainless steel construction
- Adjustable thermostat control
- Independent top & bottom control

Machine Size **1235 × 800 × 500 mm**Chamber Size **860 × 660 × 200 mm**Power **6.6 kW**Configuration **1 Deck · 2 Tray**Body **Stainless steel**Control **Independent top & bottom temperature****EBO-24 Electric Oven 2 Deck 4 Tray**

DESCRIPTION

- Stainless steel construction
- Independent thermostat per deck
- Uniform heat distribution

Machine Size **1235 × 800 × 1010 mm**Chamber Size **860 × 660 × 200 mm**Power **13.2 kW**Configuration **2 Deck · 4 Tray**Body **Stainless steel**Control **Independent per-deck temperature****EBO-36 Electric Oven 3 Deck 6 Tray**

DESCRIPTION

- Stainless steel construction
- Independent thermostat per deck
- High-output 3-deck configuration

Machine Size **1200 × 820 × 1530 mm**Chamber Size **860 × 660 × 200 mm**Power **19.6 kW**Configuration **3 Deck · 6 Tray**Body **Stainless steel**Control **Independent per-deck temperature**

Baking Oven — Gas



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



GBO-11 Gas Oven 1 Deck 1 Tray

DESCRIPTION

- Gas-fired heating for fast response
- Stainless steel construction
- Uniform heat distribution



Machine Size **960 × 600 × 500 mm**
Chamber Size **650 × 420 × 220 mm**
Tray Size **400 × 600 × 30 mm**
Power **100 W**
Body **Stainless steel**



GBO-12 Gas Oven 1 Deck 2 Tray

DESCRIPTION

- Gas-fired heating for fast response
- Stainless steel construction
- Uniform heat distribution



Machine Size **1300 × 890 × 630 mm**
Chamber Size **870 × 650 × 230 mm**
Tray Size **400 × 600 × 30 mm**
Power **100 W**
Body **Stainless steel**



GBO-13 Gas Oven 1 Deck 3 Tray

DESCRIPTION

- Gas-fired heating for fast response
- 3-tray single deck for higher capacity
- Uniform heat distribution



Machine Size **1770 × 890 × 1410 mm**
Chamber Size **1300 × 670 × 220 mm**
Tray Size **400 × 600 × 30 mm**
Power **200 W**
Body **Stainless steel**



GBO-24 Gas Oven 2 Deck 4 Tray

DESCRIPTION

- Gas-fired heating for fast response
- Independent 2-deck operation
- Uniform heat distribution



Machine Size **1300 × 890 × 1410 mm**
Chamber Size **870 × 650 × 230 mm**
Tray Size **400 × 600 × 30 mm**
Power **200 W**
Body **Stainless steel**



GBO-36 Gas Oven 3 Deck 6 Tray

DESCRIPTION

- Gas-fired heating for fast response
- High-output 3-deck configuration
- Uniform heat distribution



Machine Size **1300 × 840 × 1720 mm**
Chamber Size **870 × 650 × 230 mm**
Tray Size **400 × 600 × 30 mm**
Power **300 W**
Body **Stainless steel**



GBO-39 Gas Oven 3 Deck 9 Tray

DESCRIPTION

- Gas-fired heating for fast response
- Highest-capacity 9-tray configuration
- Uniform heat distribution



Machine Size **1770 × 890 × 1705 mm**
Chamber Size **1300 × 670 × 220 mm**
Tray Size **400 × 600 × 30 mm**
Power **300 W**
Body **Stainless steel**



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Commercial Rotary Rack Oven

DESCRIPTION

- 10-tray rotating rack for even baking
- High-capacity continuous production
- Digital temperature control



Tray Capacity	10 Trays
Tray Size	600 × 400 mm (24×16)
Power Source	Gas / Diesel
Construction	Fully Stainless Steel
Steam Option	Available
Temperature Control	Digital
Machine Size	1080 × 1400 × 1960 mm
Electrical	220V – 50Hz – 1.5 kW



SM-10 Spiral Mixer 10 LTR

DESCRIPTION

- Spiral hook kneading action
- Fixed bowl, rotating spiral
- Heavy-duty gear-driven motor



Capacity	10 LTR
Max Kneading	4 KG
Power	0.75 kW
Speed Control	Slow / High + Timer
Body	Stainless steel bowl



SM-20 Spiral Mixer 20 LTR

DESCRIPTION

- Spiral hook kneading action
- Fixed bowl, rotating spiral
- Heavy-duty gear-driven motor



Capacity	22 LTR
Max Kneading	8 KG
Power	1.1 kW
Speed Control	Slow / High + Timer
Body	Heavy-duty stainless steel



SM-30 Spiral Mixer 30 LTR

DESCRIPTION

- Spiral hook kneading action
- Fixed bowl, rotating spiral
- Heavy-duty gear-driven motor

Capacity	34 LTR
Max Kneading	12 KG
Power	1.8 kW
Speed Control	Timing / Slow / Fast + Inching
Body	Heavy-duty stainless steel



SM-50 Spiral Mixer 50 LTR

DESCRIPTION

- Spiral hook kneading action
- Fixed bowl, rotating spiral
- Heavy-duty gear-driven motor

Capacity	54 LTR
Max Kneading	22 KG
Power	2.2 kW
Speed Control	Slow / High + Timer
Body	Heavy-duty stainless steel



SM-60 Spiral Mixer 60 LTR

DESCRIPTION

- Spiral hook kneading action
- Fixed bowl, rotating spiral
- Heavy-duty gear-driven motor

Capacity	64 LTR
Max Kneading	26 KG
Power	2.6 kW
Speed Control	Slow / High + Timer
Body	Heavy-duty stainless steel



Planetary Mixer



B-7 LTR Planetary Mixer 7 LTR

DESCRIPTION

- Planetary mixing action for dough, batter and cream
- Multiple speed settings
- Includes whisk, beater and dough hook

Capacity	7 LTR
Max Mixing	0.5 KG
Power	350 W
Speed Control	3-Speed Dial
Body	Stainless steel bowl



B-10 LTR Planetary Mixer 10 LTR

DESCRIPTION

- Planetary mixing action for dough, batter and cream
- Multiple speed settings
- Includes whisk, beater and dough hook

Capacity	10 LTR
Max Mixing	1.5 KG
Power	500 W
Speed Control	3-Speed Dial
Body	Durable stainless steel



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



B-20 LTR Planetary Mixer 20 LTR

DESCRIPTION

- Planetary mixing action for dough, batter and cream
- Multiple speed settings
- Includes whisk, beater and dough hook



Capacity	20 LTR
Max Mixing	3 KG
Power	1.1 kW
Speed Control	High / Low / Middle Dial
Body	Stainless steel bowl



B-30 LTR Planetary Mixer 30 LTR

DESCRIPTION

- Planetary mixing action for dough, batter and cream
- Multiple speed settings
- Includes whisk, beater and dough hook



Capacity	30 LTR
Max Mixing	5 KG
Power	1.5 kW
Speed Control	High / Low / Medium Dial
Machine Size	450 x 430 x 820 mm
Weight	80 KG
Body	Stainless steel bowl



B-40 LTR Planetary Mixer 40 LTR

DESCRIPTION

- Planetary mixing action for dough, batter and cream
- Multiple speed settings
- Includes whisk, beater and dough hook



Capacity	40 LTR
Max Mixing	12 KG
Power	2 kW
Speed Control	Multiple Speed Settings
Body	Stainless steel bowl



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat

Coffee Machine



Saeco Magic M1 — Fully Automatic Coffee Machine

DESCRIPTION

- 7 inch touch screen display
- Silent built-in milk frother
- MDB-compatible payment system



Coffee Unit	8.5–15 g variable chamber
Display	7 inch touch screen
Milk System	Silent built-in milk frother
Dispenser	Coffee, milk and water combined
Water Connection	Optional on selected versions
Remote Management	Compatible
Payment System	MDB compatible

Blender



JTC Sound Enclosure 1200W Blender

DESCRIPTION

- Stainless steel blade assembly
- Sound-enclosure base for quiet operation
- Variable speed control



Capacity	1.5 L
Power	1000–2000 W
Blade Material	Stainless Steel
Voltage	220V, 50Hz
Rated Power	1200 W
Dimensions	55.5 × 30 × 48.5 cm
Net / Gross Weight	4 / 5 kg



J-T-C OmniBlend V TM-800A

DESCRIPTION

- Stainless steel blade assembly
- Heavy-duty commercial base
- Multiple speeds, BPA free



Model	OmniBlend V TM-800A
Type	Commercial Blender
Capacity	1500 ml
Power	2200 W
Material	Tritan
Mixing Bowl	Plastic
Control	Button Control
Origin	China



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Mini Bullet Ice Cube Ice Maker

DESCRIPTION

- Automatic ice production cycle
- Built-in 1.5L water tank
- Compact countertop footprint



Application	Commercial, Household
Power	120 W
Water Tank	1.5 L
Ice Capacity	10–12 KG/24 Hours
Ice Cubes	9 PCS per cycle
Voltage	AC100–120V / AC220– 240V
Refrigerant	R600a



Commercial Automatic Ice Cube Maker

DESCRIPTION

- Automatic ice production cycle
- High-capacity 45KG storage bin
- Water/air cooling options



Ice Shape	Cube
Storage Capacity	45 KG
Power	600 W
Voltage	1P-220V/50-60Hz & 115V/60Hz
Compressor	Secop/KK
Refrigerant	R404A/R290
Ice Size	22 × 22 × 22 mm
Freezing Time	15–18 Minutes

Sugarcane Juice Machine



Mini Sugarcane Juice Machine

DESCRIPTION

- Stainless steel rollers
- High extraction efficiency
- Italian-made gear box



Body Material	SS 304
Roller Material	SS 304
Rollers	3 Pieces, 4.25 Inch
Motor	0.5 HP
Gear Box	Rotomotive (Italy)
Dimensions	21 × 7.25 × 15 Inch
Weight	40 KG
Capacity	400 Glasses/hour
Power	375 W, 230V Single Phase



Sugarcane Juice Machine with Chiller

DESCRIPTION

- Stainless steel rollers
- Built-in Emerson chiller compressor
- Dual tap dispenser



Body Material	SS304
Rollers	3 Pieces, 4.25 Inch
Motor	0.5 HP
Cooling	Emerson Compressor
Dispenser	2 Tap (1 Cooling + 1 Non-Cooling)
Dimensions	33 × 22.5 × 41 Inch
Weight	90 KG
Capacity	400 Glasses/hour
Power	750 W, 230V Single Phase



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Cane Stall Trolley with Chiller

DESCRIPTION

- Mobile chiller trolley with wheels
- Stainless steel rollers
- 2-year parts warranty



Model Number	ACU07
Material	SS304 Food Grade
Rollers	3
Crusher	400 Watt
Motor	0.5 HP, Copper Winding
Gear Box	Helical (Italy)
Extraction Ratio	73%
Capacity	~85 L/hr (350-400 Glasses)
Weight	200 KG
Warranty	2 Year Parts Replacement

Juice Dispenser



12L Single Tank Cold Juice Dispenser

DESCRIPTION

- Cold-holding tank with agitator
- Transparent bowl for visibility
- Compact countertop footprint



Model	12L
Material	Stainless Steel
Refrigeration Temperature	7-12°C
Capacity	1 Tank
Voltage	220-240V / 110-115V
Power	180 W
Place of Origin	India



12L x 2 Cold Juice Dispenser

DESCRIPTION

- Twin cold-holding tanks with agitators
- Transparent bowls for visibility
- Serve two flavours at once



Model	12Lx2
Material	Stainless Steel
Refrigeration Temperature	7-12°C
Capacity	2 Tanks
Voltage	220-240V / 110-115V
Power	180 W
Place of Origin	India



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



12L x 3 Cold Juice Dispenser

DESCRIPTION

- Triple cold-holding tanks with agitators
- Transparent bowls for visibility
- Serve three flavours at once



Model	12LX3
Material	Stainless Steel
Refrigeration Temperature	7–12°C
Capacity	3 Tanks
Voltage	220–240V / 110–115V
Power	180 W
Place of Origin	India

Slush Machine



Single Tank Slush Machine

DESCRIPTION

- Freezing cylinder for consistent slush texture
- CE certified
- Compact countertop design



Power	550 W
Frequency	50Hz / 60Hz
Weight	25 KG
Dimensions	240 × 530 × 800 mm
Voltage	220V / 110V
Certification	CE
Material	Stainless Steel



Two Tank Slush Machine (X-240)

DESCRIPTION

- Twin freezing cylinders
- Serve two flavours simultaneously
- Engineer support available



Model	X-240
Power	890 W
Voltage	220V/50Hz, 110V/60Hz
Dimensions	430 × 530 × 800 mm
Net Weight	50 KG
Material	Stainless Steel
Capacity	2 × 12 L



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Three Tank Slush Machine

DESCRIPTION

- Triple freezing cylinders
- Serve three flavours simultaneously
- 1-year warranty



Power	1100 W
Voltage	220V/50Hz
Dimensions	620 x 530 x 800 mm
Weight	70 KG
Capacity	36 L
Bowl	Three Bowl, PC Plastic
Warranty	1 Year

Softy Ice Cream Machine



Table Top 2+1 Softy Ice Cream Machine



Table Top 2+1 Softy Ice Cream Machine

Table Top Model

DESCRIPTION

- Twin flavour plus mix (2+1)
- Double compressor system
- Stainless steel SS304 body

Model	Table Top
Flavours	2+1
Storage Capacity	6 L x 2
Hourly Output	120–150 Cone (125 ml)
Compressor	Double
Body Material	SS304
Power Supply	220V / Single Phase
Power	2000 W
Net Weight	135 KG



Floor 2+1 Softy Ice Cream Machine



Movable Floor Model

DESCRIPTION

- Twin flavour plus mix (2+1)
- Double compressor system
- Mobile floor-standing design

Model	Floor Model (Pump)
Flavours	2+1
Storage Capacity	6 L x 2
Hourly Output	120–150 Cone (125 ml)
Compressor	Double
Body Material	SS304
Power	2000 W
Net Weight	135 KG
Dimensions	22 x 24 x 56 Inch



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat

Waffle Machine

6 PIS Waffle Maker
DESCRIPTION

- Non-stick coated plates
- Even heat distribution
- Compact countertop design

Machine Size **410 × 310 × 250 mm**

Maximum Capacity **06 PIS**

Power **1.5 kW**

Special Feature **Timer**

Coating **Non-stick coating layer**

Voltage **220V / 110V**


10 PIS Waffle Maker
DESCRIPTION

- Non-stick coated plates
- Higher-capacity 10-piece format
- Timer control

Machine Size **315 × 390 × 240 mm**

Maximum Capacity **10 PIS**

Special Feature **Timer**

Temperature Range **50–300°C**

Voltage **110/220V, 50–60Hz**

Weight **10 KG**


Lolly Waffle Maker
DESCRIPTION

- 4-stick lolly waffle mould
- Non-stick coated plates
- Manual timer, 0–5 min

Machine Size **315 × 390 × 240 mm**

Maximum Capacity **4 Stick / Time**

Heat Source **Electric**

Timer Range **0–5 min**

Material **Stainless Steel**

Weight **9.96 KG**


25 Holes Mini Pancake / Muffin Waffle Maker
DESCRIPTION

- 25-hole mini pancake/muffin mould
- Non-stick coated plates
- Even heat distribution

Machine Size **30 × 32 × 19 cm**

Maximum Capacity **25 Holes**

Heat Source **Electric**

Material **Stainless Steel**

Coating **Non-stick coating layer**

Weight **8 KG**


Commercial Round Belgian Waffle Maker
DESCRIPTION

- Deep-pocket round Belgian mould
- Non-stick coated plate
- Manual timer control

Machine Size **320 × 250 × 260 mm**

Mold Style **Belgian**

Power **1200 W**

Temperature Range **180–250°C**

Timer **Manual Timer Only**

Weight **6 KG**


Rotating Belgium Waffle Maker
DESCRIPTION

- Rotating design for even cooking
- Deep-pocket Belgian mould
- Non-stick coated plate

Machine Size **250 × 540 × 320 mm**

Power **1300 W**

Temperature Range **50–250°C**

Coating **Non-stick coating layer**

Voltage **220V–240V**

Weight **8.37 KG**


ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat

Popcorn Machine — Indian



Table Top Electric Popcorn Machine

DESCRIPTION

- Stainless steel body and bowl
- 500 gram bowl capacity
- 50–250°C temperature range

Dimension	25 × 21 × 34 Inch
Body Material	Stainless Steel
Bowl Material	Stainless Steel
Bowl Capacity	500 Gram
Temperature Range	50°C to 250°C
Production Capacity	10 kg to 15 kg
Power	230V / 1.44 KW
Weight	30 KG



Table Top Gas Popcorn Machine

DESCRIPTION

- Stainless steel body and bowl
- 500 gram bowl capacity
- Gas heating for fast response

Dimension	25 × 21 × 34 Inch
Power / Heating Source	Gas
Body Material	Stainless Steel
Bowl Material	Stainless Steel
Bowl Capacity	500 Gram
Temperature Range	50°C to 250°C
Production Capacity	10 kg to 15 kg
Weight	30 KG



Popcorn Cart Gas

DESCRIPTION

- Mobile cart with wheels
- Cash drawer & storage compartment
- Stainless steel body and bowl

Dimension	35 × 30 × 68 Inch
Power	Battery
Body Material	Stainless Steel
Bowl Material	Stainless Steel
Bowl Capacity	500 Gram
Temperature Range	50°C to 250°C
Production Capacity	10 kg to 15 kg
Advantage	Cash Drawer & Storage



Digital Popcorn Machine

DESCRIPTION

- Digital control panel
- Cash drawer & storage compartment
- Stainless steel body and bowl

Dimension	35 × 30 × 68 Inch
Power	230V / 1.44 KW
Body Material	Stainless Steel
Bowl Material	Stainless Steel
Bowl Capacity	500 Gram
Temperature Range	50°C to 250°C
Production Capacity	10 kg to 15 kg
Advantage	Cash Drawer & Storage



Popcorn Machine — Imported



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Electric Popcorn Vending Machine

DESCRIPTION

- Classic cinema-style cabinet
- Stainless steel, aluminum and acrylic build
- Warming deck for holding popped corn



Heating Method	Electric
Power	1400 W
Dimension	55 x 42 x 74 cm
Voltage	220V
Weight	15 KG
Material	Stainless Steel + Aluminum + Acrylic
Color	Red
Place of Origin	India



Gas Popcorn Vending Machine (BW-6B)

DESCRIPTION

- Classic cinema-style cabinet
- Gas heating for fast, even response
- Stainless steel, aluminum and acrylic build



Model	BW-6B
Heating Method	Gas
Power	1400 W
Dimension	55 x 42 x 74 cm
Voltage	220V
Weight	15 KG
Material	Stainless Steel + Aluminum + Acrylic
Color	Red



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat



Let's Equip Your Kitchen

Phone +91 96621 80606 · +91 90543 79080

Email acutuskitchenequipment@gmail.com

Address Ground Floor 08, Prajapati Vas, Nr. State Bank of India, Visalpur, Ahmedabad, Gujarat –
382210

GSTIN 24EMVPP7155N1ZZ



ACUTUS KITCHEN EQUIPMENT

+91 96621 80606 · acutuskitchenequipment@gmail.com
Ahmedabad, Gujarat